

**Table 17. Cases of HIV infection (not AIDS), by persons' age category, exposure category, and sex, reported through December 2002, from areas with confidential name-based HIV infection reporting**

Exposure category	Males				Females				Totals			
	2002		Cumulative through 2002 <sup>a</sup>		2002		Cumulative through 2002 <sup>a</sup>		2002		Cumulative through 2002 <sup>a</sup>	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Adult or adolescent</b>												
Male-to-male sexual contact	10,991	46	64,331	47	0	0	0	0	10,991	32	64,331	33
Injection drug use	2,149	9	17,312	13	1,253	11	10,123	18	3,402	10	27,436	14
Male-to-male sexual contact and injection drug use	738	3	7,693	6	0	0	0	0	738	2	7,693	4
Hemophilia/coagulation disorder	27	0	473	0	7	0	47	0	34	0	520	0
Heterosexual contact	1,825	8	10,689	8	3,925	35	24,136	42	5,750	17	34,825	18
<i>Sex with injection drug user</i>	268	1	1,964	1	591	5	5,289	9	859	2	7,253	4
<i>Sex with bisexual male</i>	0	0	0	0	172	2	1,536	3	172	0	1,536	1
<i>Sex with person with hemophilia</i>	4	0	21	0	16	0	164	0	20	0	185	0
<i>Sex with HIV-infected transfusion recipient</i>	17	0	98	0	38	0	167	0	55	0	265	0
<i>Sex with HIV-infected person, risk not specified</i>	1,536	6	8,606	6	3,108	28	16,980	30	4,644	13	25,586	13
Receipt of blood transfusion, blood components, or tissue	56	0	473	0	54	0	490	1	110	0	963	0
Other/risk not reported or identified	7,880	33	37,046	27	5,822	53	22,580	39	13,702	39	59,633	31
Subtotal	23,666	100	138,017	100	11,061	100	57,376	100	34,727	100	195,401	100
<b>Child (&lt;13 yrs)</b>												
Hemophilia/coagulation disorder	3	1	105	5	0	0	1	0	3	1	106	2
Mother with, or at risk for, HIV infection	127	60	1,777	82	146	70	1,890	87	273	65	3,667	84
<i>Injection drug use</i>	10	5	502	23	14	7	498	23	24	6	1,000	23
<i>Sex with injection drug user</i>	11	5	188	9	12	6	185	8	23	5	373	9
<i>Sex with bisexual male</i>	3	1	25	1	1	0	17	1	4	1	42	1
<i>Sex with person with hemophilia</i>	0	0	2	0	0	0	7	0	0	0	9	0
<i>Sex with HIV-infected transfusion recipient</i>	0	0	6	0	0	0	5	0	0	0	11	0
<i>Sex with HIV-infected person, risk not specified</i>	35	17	371	17	45	21	458	21	80	19	829	19
<i>Receipt of blood transfusion, blood components, or tissue</i>	0	0	15	1	1	0	16	1	1	0	31	1
<i>Has HIV infection, risk not specified</i>	68	32	668	31	73	35	704	32	141	34	1,372	31
Receipt of blood transfusion, blood components, or tissue	1	0	22	1	1	0	25	1	2	0	47	1
Other/risk not reported or identified	79	38	272	13	63	30	266	12	142	34	538	12
Subtotal	210	100	2,176	100	210	100	2,182	100	420	100	4,358	100
<b>Total</b>	<b>23,876</b>		<b>140,193</b>		<b>11,271</b>		<b>59,558</b>		<b>35,147</b>		<b>199,759</b>	

*Note.* Includes only persons with HIV infection that has not progressed to AIDS. See Table 15 for areas with confidential name-based HIV infection reporting.

<sup>a</sup> Includes persons with a diagnosis of HIV infection (not AIDS), reported from the beginning of the epidemic through December 2002. Cumulative total includes 8 persons of unknown sex.